

2007

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

57

Mathews County

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Mathews Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Middlesex County Line															
(3)	Mathews County	1.37	6300	F	96%	1%	1%	1%	1%	0%	F	0.096	F	0.562	6800	F
	To: SR 198 East															
(3)	Mathews County	1.55	7300	F	96%	1%	1%	1%	1%	0%	F	0.098	F	0.516	7900	F
	To: SR 198 W, Dutton Rd															
(3)	Windsor Rd	2.07	5900	F	96%	1%	1%	1%	1%	0%	C	0.094	F	0.611	6400	F
	To: SR 14 John Clayton Memorial Hwy															
	From: SR 14; Windor Rd, Fort Nonsense															
(3)	(14) John Clayton Mem Hwy	0.11	11000	F	96%	1%	1%	1%	1%	0%	F	0.095	F	0.588	12000	F
	To: Gloucester County Line															
	From: Gloucester County Line															
(14)	(3) John Clayton Mem Hwy	0.11	11000	F	96%	1%	1%	1%	1%	0%	F	0.095	F	0.588	12000	F
	To: SR 3 Fort Nonsense															
	From: SR 3 Windsor Rd															
(14)	John Clayton Mem Hwy	2.75	6100	F	97%	1%	1%	1%	1%	0%	F	0.09	F	0.620	6600	F
	To: 57-617 North River Rd															
(14)	John Clayton Mem Hwy	1.38	4900	F	97%	1%	1%	1%	1%	0%	C	0.091	F	0.602	5300	F
	To: 57-660 Philpotts Ave															
(14)	John Clayton Mem Hwy	3.15	5700	F	97%	1%	1%	1%	1%	0%	F	0.091	F	0.575	6200	F
	To: SR 198 WEST															
(14)	(198)	1.69	6700	F	97%	1%	1%	1%	1%	0%	C	0.092	F	0.522	7200	F
	To: SR 198 E, Buckley Hall Rd															
(14)	Main St	0.62	5200	F	97%	1%	1%	1%	1%	0%	C	0.088	F	0.577	5600	F
	To: 57-611 Tabernacle Rd															
(14)	John Clayton Mem Hwy	4.65	3300	F	97%	1%	1%	1%	1%	0%	F	0.089	F	0.57	3600	F
	To: 57-604 Antioch Rd															
(14)	John Clayton Mem Hwy	1.88	1200	F	96%	1%	2%	1%	1%	0%	C	0.087	F	0.647	1400	F
	To: 57-602 Sand Bank Rd															
(14)	John Clayton Mem Hwy	1.74	400	F	96%	1%	2%	1%	1%	0%	F	0.113	F	0.523	430	F
	To: Bayside Wharf															
	From: Gloucester County Line															
(198)	Dutton Rd	0.44	2300	F	94%	1%	2%	2%	2%	0%	F	0.105	F	0.512	2500	F
	To: SR 3 W, Windsor Rd															
	From: SR 3 W, Windsor Rd															
(198)	(3)	1.55	7300	F	96%	1%	1%	1%	1%	0%	F	0.098	F	0.516	7900	F
	To: SR 3 E															
(198)	Mathews County	6.24	4200	F	96%	1%	1%	1%	1%	0%	C	0.094	F	0.569	4500	F
	To: SR 223 Cricket Hill Rd															
(198)	Mathews County	0.93	6100	F	96%	1%	1%	1%	1%	0%	F	0.092	F	0.556	6600	F
	To: SR 14 N, John Clayton Mem Hwy															

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Mathews Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
198 14	From: SR 14 North Intersection															
	To: SR 14 South Intersection	1.69	6700	F	97%	1%	1%	1%	1%	0%	C	0.092	F	0.522	7200	F
198 Buckley Hall Rd	From: SR 14 Main St															
	To: 57-642 Buckley Hall Rd	1.01	1500	F	96%	1%	1%	1%	1%	0%	F	0.105	F	0.601	1600	F
223 Cricket Hill Rd	From: SR 198 Hudgins															
	To: 57-633 Old Ferry Rd; Gwynn Island	2.07	2200	F	97%	1%	1%	0%	1%	0%	C	0.092	F	0.634	2400	F

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Mathews County																	
600	Point Rd	1.10	60	R								NA		NA		05/04/2004	
600		1.62	450	F	96%	1%	2%	0%	1%	0%	C	0.109	F	0.525	490	F	2007
601		0.54	120	R								NA		NA		05/04/2004	
601		1.07	100	R								NA		NA		05/04/2004	
602		0.42	410	R								NA		NA		08/28/2007	
602		0.30	300	R								NA		NA		08/28/2007	
602		0.30	80	R								NA		NA		08/28/2007	
603		0.66	30	R								NA		NA		08/28/2007	
603		0.75	140	R								NA		NA		08/28/2007	
604		1.08	220	R								NA		NA		05/04/2004	
605		0.80	140	R								NA		NA		08/28/2007	
605		1.10	160	R								NA		NA		08/28/2007	
605		0.10	140	R								NA		NA		08/28/2007	
606		0.50	170	R								NA		NA		05/04/2004	
606		0.40	400	R								NA		NA		05/04/2004	
607		1.90	240	R								NA		NA		08/28/2007	
608		1.50	640	F	97%	0%	2%	0%	0%	0%	C	0.086	F	0.508	690	F	2007
608		1.30	370	F	97%	0%	2%	0%	0%	0%	F	0.093	F	0.721	400	F	2007
608		1.30	110	R								NA		NA		05/04/2004	
609	Bethel Beach Rd	1.00	220	F	97%	1%	1%	1%	0%	0%	C	0.107	F	0.517	240	F	2007
609	Bethel Beach Rd	0.12	200	R								NA		NA		05/04/2004	

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Mathews County																	
609	Bethel Beach Rd	0.58	100	R								NA		NA		05/04/2004	
609	Bethel Beach Rd	1.10	140	R								NA		NA		05/04/2004	
609	Bethel Beach Rd	0.08	130	R								NA		NA		05/04/2004	
609	Bethel Beach Rd	0.22	60	R								NA		NA		08/20/2007	
610	Marsh Hawk Rd	0.90	47	R								NA		NA		08/20/2007	
610		0.75	30	R								NA		NA		08/20/2007	
610		1.05	40	R								NA		NA		05/04/2004	
611	Church St	2.35	2900	F	98%	1%	1%	0%	0%	0%	C	0.112	F	0.555	3100	F	2007
611	Church St	0.08	2900	F	98%	1%	1%	0%	0%	0%	F	0.115	F	0.561	3100	F	2007
611	Tabernacle Rd	2.26	970	F	98%	1%	1%	0%	0%	0%	F	0.095	F	0.531	1000	F	2007
611	Tabernacle Rd	2.16	500	F	98%	1%	1%	0%	0%	0%	F	0.11	F	0.569	540	F	2007
611		0.30	47	R								NA		NA		08/20/2007	
612	Garden Creek Rd	0.50	100	R								NA		NA		08/20/2007	
613	Beaver Dam Rd	2.80	100	F	95%	4%	0%	1%	0%	0%	C	0.133	F	0.667	100	F	2007
613	Knights Woods Rd	1.70	90	R								NA		NA		08/20/2007	
614	Williams Wharf Rd	1.00	110	R								NA		NA		08/20/2007	
614	Williams Wharf Rd	0.90	170	R								NA		NA		08/20/2007	
614	Williams Wharf Rd	0.30	80	R								NA		NA		08/20/2007	
614	Ridgefield Rd	1.20	90	R								NA		NA		08/20/2007	
614		1.20	90	R								NA		NA		08/20/2007	
615		0.60	80	R								NA		NA		08/20/2007	
616	Hookemfair Rd	0.54	160	R								NA		NA		08/28/2007	

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Mathews County																
(617)	0.80	170	R								NA			NA		08/28/2007
(617)	3.37	280	F	98%	0%	0%	1%	1%	0%	F	0.1	F	0.58	300	F	2007
(617)	0.94	1100	F	98%	1%	1%	0%	0%	0%	C	0.092	F	0.552	1200	F	2007
(617)	1.06	1400	F	98%	0%	0%	1%	1%	0%	C	0.091	F	0.551	1500	F	2007
(618)	0.50	1600	F	96%	1%	1%	1%	0%	0%	C	0.106	F	0.510	1700	F	2007
(619)	0.65	40	R								NA			NA		08/20/2007
(619)	0.81	110	R								NA			NA		05/10/2004
(619)	0.50	190	R								NA			NA		05/10/2004
(620)	2.10	520	R								NA			NA		05/10/2004
(621) Glebe Rd	0.28	50	R								NA			NA		08/20/2007
(621) Glebe Rd	0.12	110	R								NA			NA		08/20/2007
(621) Glebe Rd	0.95	250	F	94%	4%	0%	1%	1%	0%	F	0.123	F	0.531	270	F	2007
(621) Glebe Rd	0.40	860	F	94%	4%	0%	1%	1%	0%	F	0.083	F	0.729	930	F	2007
(621) Glebe Rd	0.80	1100	F	94%	4%	0%	1%	1%	0%	C	0.206	F	0.578	1200	F	2007
(622) Evans Rd	0.50	90	R								NA			NA		08/20/2007
(622) Evans Rd	0.04	140	R								NA			NA		08/20/2007
(622) Long Rd	1.00	560	F	96%	1%	1%	1%	0%	0%	C	0.097	F	0.55	600	F	2007
(623) Thurston Rd	0.46	80	R								NA			NA		08/20/2007
(623) Thurston Rd	0.10	70	R								NA			NA		08/20/2007
(623) Bendall Lane	0.40	80	R								NA			NA		08/20/2007
(623) Magnolia Rd	0.30	170	R								NA			NA		05/10/2004
(624)	0.15	120	R								NA			NA		08/29/2007

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Mathews County																
(624)	0.05	30	R			From: 57-671					NA			NA		08/29/2007
						To: Dead End										
(625)	0.60	270	R			From: 57-660					NA			NA		05/10/2004
						To: 57-624										
(625)	0.20	130	R			From: 57-624					NA			NA		05/10/2004
						To: Dead End										
(626)	3.40	470	F	98%	0%	From: SR 14 John Clayton Mem Hwy				F	0.098	F	0.583	510	F	2007
						To: SR 198 SOUTH										
						From: SR 198 NORTH										
(626)	1.80	970	F	98%	0%	1%	0%	1%	0%	C	0.095	F	0.61	1100	F	2007
						To: 57-666										
(626)	0.16	300	R			From: 57-666					NA			NA		05/17/2004
						To: 57-652										
(626)	0.14	230	R			From: 57-652					NA			NA		05/17/2004
						To: 57-662										
(626)	0.30	50	R			From: 57-662					NA			NA		05/17/2004
						To: Dead End										
(627) Smithers Rd	0.30	50	R			From: SR 198					NA			NA		05/13/2004
						To: Dead End										
(628)	0.70	420	F	96%	1%	1%	1%	0%	0%	C	0.106	F	0.5	460	F	2007
						To: 57-725										
(628)	0.80	320	R			From: 57-725					NA			NA		08/29/2007
						To: 57-724										
(628)	0.17	150	R			From: 57-724					NA			NA		08/29/2007
						To: Dead End										
(629)	1.28	320	R			From: SR 198					NA			NA		08/29/2007
						To: 57-722										
(629)	0.44	120	R			From: 57-722					NA			NA		08/29/2007
						To: Dead End										
(630)	1.50	180	R			From: SR 198					NA			NA		05/17/2004
						To: Dead End										
(631)	1.20	330	R			From: SR 198					NA			NA		05/17/2004
						To: Dead End										
(632)	0.50	150	R			From: 57-626					NA			NA		08/29/2007
						To: Dead End										
(633)	0.20	330	R			From: Dead End					NA			NA		05/13/2004
						To: SR 223 Cricket Hill Rd										
(633)	2.66	1100	F	97%	1%	1%	0%	0%	0%	C	0.088	F	0.701	1200	F	2007
						To: Dead End										
(634)	0.50	320	R			From: Dead End					NA			NA		08/29/2007
						To: 57-633										
(635)	0.60	70	R			From: 57-609 Bethel Beach Rd					NA			NA		05/04/2004
						To: Dead End										

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Mathews County																	
(636)	0.35	60	R								NA		NA			08/29/2007	
From: Dead End																	
(636)	S Bay Haven Rd	0.63	110	F	98%	0%	1%	0%	0%	0%	C	0.136	F	0.556	120	F	2007
From: 57-672																	
(636)		0.50	190	R							NA		NA			08/29/2007	
From: 57-633																	
To: Dead End																	
(637)		0.60	90	R							NA		NA			05/13/2004	
From: Dead End																	
(637)		0.50	270	F	98%	2%	0%	0%	0%	0%	C	0.101	F	0.625	290	F	2007
From: 57-680																	
To: 57-633																	
(638)		1.00	120	R							NA		NA			05/13/2004	
From: Dead End																	
To: 57-633																	
(639)	Hills Bay Dr	0.85	120	R							NA		NA			08/29/2007	
From: Dead End																	
To: SR 223 W, Cricket Hill Rd																	
(639)	Crab Neck Rd	1.03	390	F	97%	1%	1%	1%	0%	0%	C	0.108	F	0.646	420	F	2007
From: SR 223 E, Cricket Hill Rd																	
(639)	Crab Neck Rd	0.10	130	R							NA		NA			05/13/2004	
From: 57-648 Big Gum Rd																	
(639)		0.20	90	R							NA		NA			08/29/2007	
From: 57-676 Traders Rd																	
To: Dead End																	
(640)	Point Breeze Rd	0.14	200	R							NA		NA			08/29/2007	
From: SR 223 Cricket Hill Rd																	
(640)	Point Breeze Rd	1.41	250	R							NA		NA			08/29/2007	
From: 57-716 Tobacco Rd																	
To: Dead End																	
(641)		1.64	500	F	98%	1%	1%	0%	0%	0%	C	0.114	F	0.525	540	F	2007
From: SR 14																	
To: Dead End																	
(642)	Buckley Hall Rd	0.70	1300	F	97%	1%	1%	1%	0%	0%	C	0.108	F	0.603	1400	F	2007
From: SR 198 Buckley Hall Rd																	
(642)	Fitchetts Wharf Rd	0.96	440	F	97%	1%	1%	1%	0%	0%	F	0.119	F	0.589	480	F	2007
From: 57-643 Haven Beach Rd																	
(642)	Fitchetts Wharf Rd	0.14	30	F	97%	1%	1%	1%	0%	0%	F	0.31	F	0.546	30	F	2007
From: 57-708 Lunar Lane																	
To: Dead End																	
(643)	Haven Beach Rd	0.80	810	F	98%	1%	0%	1%	0%	0%	C	0.107	F	0.61	870	F	2007
From: 57-642 Buckley Hall Rd																	
(643)	Lillys Neck Rd	0.20	820	F	96%	1%	1%	2%	1%	0%	C	0.099	F	0.526	890	F	2007
From: 57-644 Lillys Neck Rd																	
To: 57-644; Haven Beach Rd																	
(643)	Haven Beach Rd	0.80	480	F	98%	1%	0%	1%	0%	0%	F	0.115	F	0.6	520	F	2007
From: 57-644 Lillys Neck Rd																	
(643)	Haven Beach Rd	0.03	170	R							NA		NA			05/04/2004	
From: 57-645 Garden Creek Rd																	
(643)	Haven Beach Rd	0.50	70	R							NA		NA			05/04/2004	
From: 57-682 Whites Creek Lane																	
(643)	Haven Beach Rd	0.67	8	R							NA		NA			05/04/2004	
From: 57-704 Old House Woods Rd																	
To: Dead End																	

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Mathews County																
644 Bandy Ridge Rd	1.00	20	R			From: 57-614 Williams Wharf Rd					NA			NA		08/26/2007
644 Bandy Ridge Rd	0.30	30	R			To: 1.00 MN 57-614					NA			NA		08/26/2007
644 Lillys Neck Rd	1.20	120	R			From: 57-611 W, Tabernacle Rd					NA			NA		08/26/2007
644 Lillys Neck Rd	1.00	240	R			To: 57-611 E, Tabernacle Rd					NA			NA		08/26/2007
644 Lillys Neck Rd	1.00	240	R			From: 57-643 S, Haven Beach Rd					NA			NA		08/26/2007
644 Lillys Neck Rd	1.00	240	R			To: 57-643 N, Haven Beach Rd					NA			NA		08/26/2007
645 Garden Creek Rd	0.50	400	R			From: Dead End					NA			NA		05/04/2004
645 Garden Creek Rd	0.69	80	R			To: 57-643 Haven Beach Rd					NA			NA		05/04/2004
645	0.43	30	R			From: 57-717 Butts Lane					NA			NA		05/04/2004
645	0.43	30	R			To: Betty Lane					NA			NA		05/04/2004
646	0.14	40	R			From: Dead End					NA			NA		08/26/2007
646	0.20	80	R			To: 57-726					NA			NA		08/26/2007
646	0.50	150	R			From: 57-721					NA			NA		08/26/2007
646	0.50	150	R			To: 57-606					NA			NA		08/26/2007
647	0.70	600	R			From: 57-641					NA			NA		05/13/2004
647	0.70	600	R			To: Dead End					NA			NA		05/13/2004
648 Big Gum Rd	0.30	130	R			From: 57-639 Crab Neck Rd					NA			NA		08/26/2007
648 Big Gum Rd	0.30	130	R			To: 57-640 Point Breeze Rd					NA			NA		08/26/2007
649 Peary Rd	0.67	170	R			From: Dead End					NA			NA		08/26/2007
649 Peary Rd	0.67	170	R			To: 57-608					NA			NA		08/26/2007
650	0.50	190	R			From: 57-660					NA			NA		05/10/2004
650	0.30	80	R			To: 57-727					NA			NA		05/10/2004
650	0.30	80	R			From: Dead End					NA			NA		05/10/2004
650	0.30	80	R			To: Dead End					NA			NA		05/10/2004
651 Myrtle Grove Lane	0.80	45	R			From: 57-660					NA			NA		08/26/2007
651 Myrtle Grove Lane	0.80	45	R			To: Dead End					NA			NA		08/26/2007
652	0.40	90	R			From: Dead End					NA			NA		08/26/2007
652	0.40	90	R			To: 57-626					NA			NA		08/26/2007
653 Holly Point Rd	1.00	120	R			From: SR 198 Buckley Hall Rd					NA			NA		08/28/2007
653 Holly Point Rd	1.00	120	R			To: Dead End					NA			NA		08/28/2007
654 Gum Spring Rd	0.40	40	R			From: 57-617					NA			NA		08/20/2007
654 Gum Spring Rd	0.40	40	R			To: Dead End					NA			NA		08/20/2007
655	0.85	140	R			From: Dead End					NA			NA		08/20/2007
655	0.85	140	R			To: 57-600					NA			NA		08/20/2007

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Mathews County																	
(656)	0.30	170	R													05/13/2004	
(657)	1.10	130	R													05/10/2004	
(658)	Kingston Lane	1.21	140	R												08/20/2007	
(659)	Osprey Rd	0.50	140	R												08/20/2007	
(660)		0.32	90	R												05/10/2004	
(660)		0.53	260	R												05/10/2004	
(660)		0.30	360	F	96%	1%	0%	0%	1%	0%	F	0.098	F	0.583	390	F	2007
(660)		0.36	430	F	96%	1%	0%	0%	1%	0%	F	0.103	F	0.509	470	F	2007
(660)		2.65	1000	F	96%	1%	0%	0%	1%	0%	F	0.107	F	0.508	1100	F	2007
(660)		2.43	980	F	96%	1%	0%	0%	1%	0%	C	0.105	F	0.525	1100	F	2007
(661)		0.42	130	R												05/13/2004	
(662)		0.40	90	R												08/20/2007	
(663)		0.20	100	R												05/13/2004	
(664)		0.90	390	R												08/20/2007	
(665)	Blue Water Dr	0.04	10	R												08/20/2007	
(665)	Fleetwood Circle	0.56	110	R												08/20/2007	
(666)		0.38	120	R												08/20/2007	
(666)		0.14	330	R												08/20/2007	
(667)		0.50	100	R												05/10/2004	
(668)		0.13	130	R												08/20/2007	

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Mathews County																
(669)	0.51	230	R								NA			NA		05/13/2004
(670) Bendall Lane	0.42	70	R								NA			NA		08/20/2007
(671)	0.30	70	R								NA			NA		08/20/2007
(672)	0.07	60	R								NA			NA		05/13/2004
(673)	0.60	60	R								NA			NA		08/20/2007
(674)	0.35	100	R								NA			NA		05/17/2004
(675)	0.30	150	R								NA			NA		05/10/2004
(675)	0.10	90	R								NA			NA		05/10/2004
(676)	0.35	60	R								NA			NA		08/20/2007
(677) Canoe Yard Trail	0.66	90	R								NA			NA		08/20/2007
(678) Baby Lane	0.39	80	R								NA			NA		08/20/2007
(679)	0.54	60	R								NA			NA		08/20/2007
(680)	0.49	220	R								NA			NA		05/13/2004
(681)	0.53	150	R								NA			NA		08/20/2007
(682)	0.87	90	R								NA			NA		05/04/2004
(683)	0.37	10	R								NA			NA		08/20/2007
(684) Gayle Lane	0.25	80	R								NA			NA		08/20/2007
(684)	0.30	70	R								NA			NA		08/20/2007
(685)	0.07	70	R								NA			NA		05/10/2004

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Mathews County																
(686)	0.33	60	R											NA		08/20/2007
(687)	0.24	40	R											NA		05/10/2004
(687)	0.40	100	R											NA		05/10/2004
(688) Dixon Rd	0.34	220	R											NA		08/28/2007
(689)	0.36	150	R											NA		05/04/2004
(690) Field Point Rd	0.37	100	R											NA		08/28/2007
(691)	0.25	60	R											NA		08/28/2007
(692)	0.52	20	R											NA		08/28/2007
(693) Buzzard Point Rd	0.62	80	R											NA		08/28/2007
(694) Waverly Lane	0.40	110	R											NA		05/13/2004
(695)	0.10	70	R											NA		05/13/2004
(696)	0.42	130	R											NA		08/28/2007
(697)	0.45	90	R											NA		05/04/2004
(698) Captains Grenes Rd	0.20	70	R											NA		08/28/2007
(699)	0.37	20	R											NA		08/28/2007
(700)	0.48	170	R											NA		05/13/2004
(701)	0.35	60	R											NA		05/17/2004
(702) Piney Point Rd	0.38	47	R											NA		08/28/2007
(703)	0.61	60	R											NA		05/10/2004

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Mathews County																
(704)	0.36	60	R				From: 57-643 Haven Beach Rd					NA		NA		08/20/2007
							To: Dead End									
(705)	Kings Landing Rd	0.40	50	R			From: Dead End					NA		NA		08/20/2007
							To: 57-609 Bethel Beach Rd									
(706)	Ballast Point Rd	0.32	110	R			From: SR 223 Cricket Hill Rd					NA		NA		05/13/2004
							To: Dead End									
(707)	Hurst Neck Rd	0.18	100	R			From: Dead End					NA		NA		08/20/2007
							To: 57-609 Bethel Beach Rd									
(708)	Billups Creek Lane	0.27	45	R			From: 57-642 Fitchetts Wharf Rd					NA		NA		08/20/2007
							To: Dead End									
(709)		0.54	40	R			From: 57-650					NA		NA		05/10/2004
							To: Dead End									
(710)		0.28	90	R			From: Dead End					NA		NA		05/04/2004
							To: 57-605									
(711)		0.24	10	R			From: Dead End					NA		NA		08/20/2007
							To: 57-646									
(712)		0.02	30	R			From: 57-600					NA		NA		08/20/2007
							To: SR 14 John Clayton Mem Hwy									
(713)		0.16	720	R			From: SR 14					NA		NA		08/20/2007
							To: 57-641									
(714)		0.20	30	R			From: SR 14 S, John Clayton Mem Hwy					NA		NA		08/20/2007
							To: SR 14 N, John Clayton Mem Hwy									
(715)		0.32	90	R			From: SR 14 S, John Clayton Mem Hwy					NA		NA		08/20/2007
							To: SR 14 N, John Clayton Mem Hwy									
(716)	Tobacco Rd	0.17	100	R			From: 57-640 Point Breeze Rd					NA		NA		05/13/2004
							To: SR 223 Cricket Hill Rd									
(717)		0.14	80	R			From: Dead End					NA		NA		08/20/2007
							To: 57-645 Garden Creek Rd									
(718)		0.38	150	R			From: Dead End					NA		NA		05/13/2004
							To: 57-639 Crab Neck Rd									
(719)		0.16	70	R			From: Dead End					NA		NA		08/20/2007
							To: SR 198									
(720)	Bashl Shore Dr	0.23	10	R			From: 57-609 Bethel Beach Rd					NA		NA		08/20/2007
							To: Dead End									
(721)		0.43	80	R			From: Dead End					NA		NA		08/20/2007
							To: 57-646									
(722)		0.20	90	R			From: 57-629					NA		NA		05/13/2004
							To: 57-723									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Mathews County																
(723)	0.02	10	R				From: Dead End							NA		05/13/2004
(723)	0.08	60	R				To: 57-722							NA		05/13/2004
(724)	0.12	200	R				From: 57-628							NA		05/13/2004
(725)	0.13	80	R				To: Dead End							NA		08/20/2007
(726)	0.22	60	R				From: Dead End							NA		08/20/2007
(727)	0.35	120	R				To: 57-650							NA		08/20/2007
(728)	0.22	40	R				From: SR 14 John Clayton Mem Hwy							NA		08/20/2007
(729)	0.43	210	R				To: Dead End							NA		05/04/2004
(730)	0.12	40	R				From: 57-614 Williams Wharf Rd							NA		08/20/2007
(731)	0.48	70	R				To: Dead End							NA		05/04/2004
(732)	0.07	50	R				From: Cul-de-Sac							NA		05/17/2004
(732)	0.91	310	R				To: 57-733							NA		05/17/2004
(733)	0.05	30	R				From: Cul-de-Sac							NA		05/17/2004
(734)	0.05	60	R				To: 57-732							NA		05/10/2004
(735)	0.17	160	R				From: Dead End							NA		05/10/2004
(736)	0.20	90	R				To: SR 3 Windsor Rd							NA		05/10/2004
(737)	0.70	100	R				From: SR 3 Windsor Rd							NA		05/10/2004
(738)	0.25	90	R				To: Cul-de-Sac							NA		05/13/2004
(739)	0.15	90	R				From: SR 198							NA		05/13/2004
(739)	0.15	90	R				To: Dead End							NA		08/20/2007
(737)	Morse Point Rd	0.70	100	R			From: Cul-de-Sac							NA		08/20/2007
(738)	Blue Heron Lane	0.25	90	R			To: 57-608							NA		08/20/2007
(738)	Blue Heron Lane	0.25	90	R			From: SR 198							NA		08/20/2007
(739)		0.15	90	R			To: Cul-de-Sac							NA		08/20/2007
(739)		0.15	90	R			From: SR 198							NA		08/20/2007
(739)		0.15	90	R			To: Dead End							NA		08/20/2007

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Mathews County																
(740)	0.56	80	R								NA			NA		08/20/2007
(745)	0.93	140	R								NA			NA		05/10/2004
(746)	0.42	40	R								NA			NA		05/10/2004
(1001)	0.05	890	R								NA			NA		08/20/2007
(1001)	0.03	1100	R								NA			NA		08/20/2007
(1002)	0.05	670	R								NA			NA		08/20/2007
(1003)	0.05	440	R								NA			NA		05/13/2004
(1004)	0.16	140	R								NA			NA		05/13/2004
(1006)	0.07	60	R								NA			NA		05/13/2004
(1006)	0.07	20	R								NA			NA		05/13/2004
(1006)	0.10	30	R								NA			NA		05/13/2004
(1007)	0.06	20	R								NA			NA		05/13/2004
(1010) Martin St	0.42	NA									NA			NA		
(1011) Corr St	0.12	450	R								NA			NA		08/20/2007
(1015)	0.19	9	R								NA			NA		08/20/2007
(1016) Catlett Rd	0.07	10	R								NA			NA		08/20/2007
(1101)	0.12	40	R								NA			NA		05/17/2004
(9249)	0.08	310	R								NA			NA		05/13/2004
(9250)	0.10	20	R								NA			NA		08/20/2007