

2013

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Special Locality Report

100

City of Alexandria

Information in this report is included in Report

00

(Arlington County)

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.






QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source





Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

- Bus
 Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
- ALT
 ALT - Alternate Route
Wye - Wye Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Alexandria

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
1 Patrick St	From: SCL Alexandria, I-95, I-495 City of Alexandria (Maint: 00)	0.51	71000	F	97%	1%	1%	0%	0%	0%	F	0.075	F	0.907	75000	F
1 Patrick St	From: Franklin St City of Alexandria	0.15	71000	N	97%	1%	1%	0%	0%	0%	N	0.075	N	0.907	75000	N
1 Patrick St	From: Wilkes St, US 1 Par City of Alexandria	0.36	28000	G	97%	1%	1%	0%	0%	0%	F	0.081	F		29000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		50000	G	97%	1%	1%	0%	0%	0%	F	0.067	F	0.807	53000	G
1 Patrick St	From: King St City of Alexandria	0.72	24000	G	89%	1%	1%	6%	2%	0%	C	0.093	F		25000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		45000	G	93%	1%	1%	4%	1%	0%	C	NA			48000	G
1 Patrick St	From: 1st St City of Alexandria	0.42	49000	G	97%	1%	1%	0%	0%	0%	F	0.085	F	0.630	51000	G
1 Jefferson Davis Hwy	From: Monroe Ave City of Alexandria	1.27	37000	G	97%	0%	1%	1%	0%	0%	C	0.076	F	0.556	39000	G
1 Ramp From US N,S to I-95 3 at Exit 177	From: Ramps from US 1 NB and US 1 SB City of Alexandria (Maint: 29)	0.18	9600	G								0.080	F		9600	G
1	To: I-95 Express Lanes SB															
1	From: US 01-S191C TO RT 241 City of Alexandria (Maint: 29)	0.19	9300	G								0.086	F	0.699	9300	G
	To: I-95-S FROM RT 1															
North 1 Ramp	From: US 1 Richmond Hwy NB City of Alexandria (Maint: 29)	0.17	NA									NA			NA	
North 1 Ramp	From: US 01-N191B TO RT 95 SOUTH City of Alexandria (Maint: 29)	0.16	16000	G								0.114	F		16000	G
	To: I-95-N FROM RT 1 NORTH															
North 1 Ramp	From: US 1 Richmond Hwy NB City of Alexandria (Maint: 29)	0.39	NA									NA			NA	
North 1 Ramp	From: US 01-N191C TO RT 241; 95 SOUTH City of Alexandria (Maint: 29)	0.10	NA									NA			NA	
	To: US 01- 191B US 01-S191B FROM RT 1															
North 1	From: US 01-N191B TO RT 241; 95 SOUTH City of Alexandria (Maint: 29)	0.14	NA									NA			NA	
	To: US 01-S191C TO RT 241															
South 1 Ramp	From: US 1 Patrick St SB City of Alexandria (Maint: 29)	0.11	26000	F								0.099	F		26000	F
South 1 Ramp	From: US 01-S191C TO 241; 95 SOUTH City of Alexandria (Maint: 29)	0.09	NA									NA			NA	
	To: US 01-S191B TO 95 SOUTH															

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Alexandria

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 1 Ramp	From: US 01-S191B TO 95 SOUTH City of Alexandria (Maint: 29)	0.22	NA									NA		NA		
South 1 Ramp	From: US 01-S191D TO 95 NORTH EXPRESS City of Alexandria (Maint: 29)	0.28	14000	G								0.126	F	14000	G	
South 1 Ramp	From: US 1 Patrick St SB City of Alexandria (Maint: 29)	0.09	NA									NA		NA		
South 1	From: US 01-S191A TO 241: 95 SOUTH City of Alexandria (Maint: 29)	0.21	NA									NA		NA		
South 1	From: US 01-S191A TO 95 NORTH EXPRESS City of Alexandria (Maint: 29)	0.34	8400	G								0.132	F	8400	G	
1 P Henry St	From: Wilkes St City of Alexandria	0.36	23000	G	97%	1%	1%	0%	0%	0%	F	0.076	F	0.653	24000	G
			Combined Traffic Estimates for 2 Parallel Roadways on this Route: 50000 G 97% 1% 1% 0% 0% 0% F 0.067 F 0.807 53000 G													
1 P Henry St	From: SR 7 King St City of Alexandria	0.72	22000	G	97%	1%	1%	1%	1%	0%	C	0.074	F		23000	G
			Combined Traffic Estimates for 2 Parallel Roadways on this Route: 45000 G 93% 1% 1% 4% 1% 0% C NA 48000 G													
7 King St	From: WCL Alexandria City of Alexandria	1.09	49000	G	95%	0%	1%	3%	1%	0%	C	0.080	F	0.569	52000	G
7 King St	From: I-395 City of Alexandria	0.65	25000	G	96%	0%	1%	1%	1%	0%	C	0.083	F	0.6	26000	G
7 King St	From: Braddock Rd City of Alexandria	1.91	15000	G	97%	0%	0%	0%	2%	0%	C	0.088	F	0.595	15000	G
7 King St	From: Russell Rd City of Alexandria	0.38	16000	G	97%	1%	1%	0%	0%	0%	F	0.082	F	0.619	17000	G
7 King St	From: West St City of Alexandria	0.48	7800	G	87%	2%	2%	6%	3%	0%	C	0.075	F	0.517	8200	G
East 7 Ramp	From: SR 7: 30th St. To Rt 395 City of Alexandria (Maint: 00)	0.11	16000	G								0.079	F	16000	G	
East 7 Ramp	From: SR 07-E069B TO RT 395 NORTH & SOUTH City of Alexandria (Maint: 00)	0.13	34000	F								0.080	F	34000	F	
East 7 Ramp	From: SR 07-E069A To Rt 395 North & South City of Alexandria (Maint: 00)	0.23	NA									NA		NA		

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Alexandria

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
ExpN (95) NB Express Lanes	From: Begin Express Roadway NB City of Alexandria (Maint: 29)	0.95	NA											NA	NA	
	Combined Traffic Estimates for Parallel Roadways on this Route:		NA											NA	NA	
ExpN (95) NB Express Lanes	To: US 1 Patrick St; Mill Rd From: City of Alexandria (Maint: 29)	0.87	NA											NA	NA	
	Combined Traffic Estimates for Parallel Roadways on this Route:		NA											NA	NA	
ExpS (95) SB Express Lanes	To: District of Columbia Line, Potomac River From: City of Alexandria (Maint: 29)	0.80	NA											NA	NA	
	Combined Traffic Estimates for Parallel Roadways on this Route:		NA											NA	NA	
ExpS (95) SB Express Lanes	To: US 1 Patrick St; Mill Rd From: City of Alexandria (Maint: 29)	0.95	NA											NA	NA	
	Combined Traffic Estimates for Parallel Roadways on this Route:		NA											NA	NA	
ExpS (95) Ramp	To: District of Columbia Line, Potomac River From: City of Alexandria (Maint: 29)	0.65	NA											NA	NA	
North (95) Capital Beltway	To: Fairfax County Line From: City of Alexandria (Maint: 29)	0.25	64000	G	95%	1%	1%	1%	2%	0%	F	NA		62000	G	
	Combined Traffic Estimates for 4 Parallel Roadways on this Route:		140000	G										NA		
	<i>Capital Beltway is also signed as I-495</i>															
North (95) Capital Beltway	To: US 1 Richmond Hwy From: City of Alexandria (Maint: 29)	1.07	80000	G	92%	1%	1%	0%	6%	0%	F	NA		79000	G	
	Combined Traffic Estimates for 4 Parallel Roadways on this Route:		163000	G										NA		
	<i>Capital Beltway is also signed as I-495</i>															
North (95) Exit 177 A B	To: District of Columbia Line, Potomac River From: City of Alexandria (Maint: 29)	0.11	NA											NA	NA	
North (95) Exit 177 A	To: Exit 177 A; Exit 177 B From: City of Alexandria (Maint: 29)	0.09	NA											NA	NA	
North (95) Ramp	To: Exit 177 A B From: City of Alexandria (Maint: 29)	0.37	NA											NA	NA	
South (95) Capital Beltway	To: US 1 Richmond Hwy S From: City of Alexandria (Maint: 29)	0.15	76000	G	91%	1%	1%	0%	7%	0%	F	NA		75000	G	
	Combined Traffic Estimates for 4 Parallel Roadways on this Route:		140000	G										NA	NA	
	<i>Capital Beltway is also signed as I-495</i>															
	To: US 1 Patrick St From: City of Alexandria (Maint: 29)															

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Alexandria

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South (95) Capital Beltway	From: US 1 Patrick St City of Alexandria (Maint: 29)	1.17	83000	G	91%	1%	1%	0%	7%	0%	F	NA		83000	G	
Combined Traffic Estimates for 4 Parallel Roadways on this Route: 163000 G																
<i>Capital Beltway is also signed as I-495</i>																
	To: District of Columbia Line, Potomac River															
South (95) I-95 S Exit 177 A	From: I-95 S City of Alexandria (Maint: 29)	0.17	NA									NA		NA		
	To: US 1 Richmond Hwy S															
South (95) I-95 S Exit 177 B C	From: I-95 S City of Alexandria (Maint: 29)	0.08	NA									NA		NA		
	To: I-95 S Exit 177 B; I-95 S Exit 177 C															
South (95) I-95 S Exit 177 B	From: I-95 S Exit 177 B C City of Alexandria (Maint: 29)	0.09	NA									NA		NA		
	To: US 1 Patrick St N															
South (95) I-95 S Exit 177 C	From: I-95 S Exit 177 B C City of Alexandria (Maint: 29)	0.10	NA									NA		NA		
	To: Church St															
(236) Duke St	From: Fairfax County Line City of Alexandria (Maint: 29)	0.06	34000	N	99%	1%	0%	0%	0%	0%	N	0.084	N	0.562	37000	N
	To: WCL Alexandria															
(236) Duke St	From: WCL Alexandria City of Alexandria (Maint: 29)	0.34	62000	G	99%	1%	0%	0%	0%	0%	F	0.070	F	0.515	66000	G
	To: I-395															
(236) Duke St	From: I-395 City of Alexandria	0.32	60000	G	98%	1%	1%	0%	0%	0%	F	0.074	F	0.551	65000	G
	To: SR 401 Van Dorn St															
(236) Duke St	From: SR 401 Van Dorn St City of Alexandria	0.36	38000	G	98%	1%	1%	0%	0%	0%	F	0.075	F	0.538	41000	G
	To: N Pickett St															
(236) Duke St	From: N Pickett St City of Alexandria	2.66	32000	G	98%	1%	1%	0%	0%	0%	C	0.076	F	0.534	34000	G
	To: SR 241 Telegraph Rd															
(236) Duke St	From: SR 241 Telegraph Rd City of Alexandria	1.26	22000	G	98%	1%	1%	0%	1%	0%	C	0.078	F	0.694	24000	G
	To: US 1 SB Henry St															
(236) Duke St	From: US 1 SB Henry St City of Alexandria	0.24	9900	G	97%	1%	1%	0%	0%	0%	C	0.076	F	0.522	11000	G
	To: SR 400 Washington St															
(236) Ramp from Ramps from SR 236 EB and WB to I-395 NB	From: SR 236-E010B; SR 236-W010B City of Alexandria (Maint: 29)	0.14	8700	G								0.077	F		8700	G
	To: I-395 North															
East (236) Ramp From SR 236 EB to I-395 NB and SB	From: SR 236 Duke St City of Alexandria (Maint: 29)	0.05	19000	G	99%	1%	0%	0%	0%	0%	F	0.067	F		21000	G
	To: SR 236 E010B															
East (236) Ramp From SR 236 to I-395 SB	From: SR 236 E010B City of Alexandria (Maint: 29)	0.23	7100	G	99%	1%	0%	0%	0%	0%	F	0.073	F		7600	G
	To: I-395-S															

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Alexandria

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
East 236 Ramp	City of Alexandria (Maint: 29)	From: SR 236-E010A TO RT 395 NORTH & SOUTH To: SR 236-E010A TO RT 395 NORTH & SOUTH	0.28	NA								NA		NA			
West 236 Ramp	City of Alexandria (Maint: 29)	From: SR 236 TO RT 395 SOUTH To: SR 236 TO RT 395 SOUTH	0.13	7800	G							0.071	F	7800	G		
West 236 Ramp	City of Alexandria (Maint: 29)	From: SR 236 JB-29-100 MAINT BREAK RT 395 To: SR 236 JB-29-100 MAINT BREAK RT 395	0.14	11000	G							0.068	F	11000	G		
241 Telegraph Rd	City of Alexandria (Maint: 29)	From: Fairfax County Line To: Maintenance Break	0.39	54000	N	98%	1%	1%	0%	0%	0%	N	0.091	N	0.65	57000	N
241 Telegraph Rd	City of Alexandria	From: Maintenance Break To: SR 236 WB	0.21	61000	F	91%	0%	1%	5%	2%	0%	C	0.095	F	0.695	64000	F
North 395	City of Alexandria (Maint: 29)	From: Fairfax County Line To: SR 236 Duke St	0.21	75000	A	97%	1%	1%	1%	1%	0%	C	0.078	A		77000	A
		Combined Traffic Estimates for 3 Parallel Roadways on this Route:	179000	F	98%	1%	1%	1%	1%	1%	0%	C	NA			192000	F
North 395	City of Alexandria (Maint: 29)	From: SR 236 Duke St To: Seminary Rd	1.64	79000	G	97%	1%	1%	1%	1%	0%	F	NA			81000	G
		Combined Traffic Estimates for 3 Parallel Roadways on this Route:	185000	G	98%	1%	1%	1%	1%	1%	0%	F	NA			199000	G
North 395	City of Alexandria (Maint: 29)	From: Seminary Rd To: SR 7 King St, Arlington County Line	1.11	79000	G	97%	1%	1%	1%	1%	0%	F	NA			82000	G
		Combined Traffic Estimates for 3 Parallel Roadways on this Route:	187000	G	97%	1%	1%	1%	1%	1%	0%	F	NA			202000	G
North 395	City of Alexandria (Maint: 00)	From: Quaker Lane, Arlington County Line To: Arlington County Line	0.26	85000	F	97%	1%	1%	1%	1%	0%	F	0.084	F		87000	F
		Combined Traffic Estimates for 3 Parallel Roadways on this Route:	201000	G	98%	1%	1%	1%	1%	1%	0%	F	NA			217000	G
North 395 Ramp	City of Alexandria (Maint: 29)	From: I-395-N TO RT 236 EAST00- DUKE ST To: I-395-N TO RT 236 EAST00- DUKE ST	0.20	NA								NA		NA			
North 395 Ramp	City of Alexandria (Maint: 29)	From: I-395-N TO RT 236 WEST00- DUKE ST To: I-395-N TO RT 236 WEST00- DUKE ST	0.13	NA								NA		NA			
North 395 Ramp	City of Alexandria (Maint: 29)	From: I-395-N TO RT 42000- SEMINARY ROAD To: SR 420-E000X RT 395 N & RT 420 EAST COLL	0.18	NA								NA		NA			
North 395 Ramp	City of Alexandria (Maint: 29)	From: SR 420-W000X RT 395 N & RT 420 WEST COLL To: SR 420-W000X RT 395 N & RT 420 WEST COLL	0.06	NA								NA		NA			

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Alexandria

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 395 Ramp	From: SR 420-W000X RT 395 N & RT 420 WEST COLL City of Alexandria (Maint: 29)	0.16	NA									NA		NA		
	To: I-395-N FROM RT 42000- SEMINARY ROAD															
North 395 Ramp	From: I-395-N TO RT 7 EAST & WEST00- KING ST City of Alexandria (Maint: 00)	0.30	NA									NA		NA		
	To: I-395-N005B TO RT EAST & WEST00- KING ST															
North 395 Ramp	From: I-395-N005A TO RT EAST & WEST00- KING ST City of Alexandria (Maint: 00)	0.27	NA									NA		NA		
	To: I-395-N005A TO RT EAST & WEST00- KING ST															
North 395 Ramp	From: I-395-N TO RT 402 NORTH & SOUTH00- QUAKE City of Alexandria (Maint: 00)	0.07	NA									NA		NA		
	To: I-395-N006B TO RT 402 NORTH00- QUAKER LA															
North 395 Ramp	From: I-395-N006A TO RT 402 NORTH00- QUAKER Lane City of Alexandria (Maint: 00)	0.30	NA									NA		NA		
	To: SR 402 JB--100 BUS RAMP TO&FROM REV. L															
Rev 395	From: Fairfax County Line City of Alexandria (Maint: 29)	2.19	25000	B	98%	1%	0%	0%	0%	C	0.134	A		32000	B	
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		179000	F	98%	1%	1%	1%	0%	C	NA			192000	F	
Rev 395	From: Seminary Rd City of Alexandria (Maint: 29)	0.71	29000	G	97%	2%	0%	0%	0%	C	NA			38000	G	
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		187000	G	97%	1%	1%	1%	0%	F	NA			202000	G	
Rev 395	From: SR 7; Arlington County Line City of Alexandria (Maint: 00)	0.26	33000	G	98%	1%	0%	0%	0%	F	NA			43000	G	
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		201000	G	98%	1%	1%	1%	0%	F	NA			217000	G	
South 395	From: Fairfax County Line City of Alexandria (Maint: 29)	0.71	79000	F	97%	1%	1%	1%	0%	C	0.083	A		82000	F	
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		179000	F	98%	1%	1%	1%	0%	C	NA			192000	F	
South 395	From: SR 236 Duke St City of Alexandria (Maint: 29)	1.44	82000	G	97%	1%	1%	1%	0%	F	NA			86000	G	
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		185000	G	98%	1%	1%	1%	0%	F	NA			199000	G	
South 395	From: Seminary Rd City of Alexandria (Maint: 29)	0.75	79000	G	97%	1%	1%	1%	0%	F	NA			82000	G	
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		187000	G	97%	1%	1%	1%	0%	F	NA			202000	G	
	To: SR 7 King St, Arlington County Line															

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Alexandria

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 395	From: Quaker Lane, Arlington County Line City of Alexandria (Maint: 00)	0.26	84000	F	97%	1%	1%	1%	1%	0%	F	NA		87000	F	
Combined Traffic Estimates for 3 Parallel Roadways on this Route:			201000	G	98%	1%	1%	1%	1%	0%	F	NA		217000	G	
	To: Arlington County Line															
South 395 Ramp	From: I-395-S TO RT 236 EAST00- DUKE ST City of Alexandria (Maint: 29)	0.11	NA									NA		NA		
	To: I-395-S TO RT 236 EAST00- DUKE ST															
South 395 Ramp	From: I-395-S TO RT 236 WEST00- DUKE ST City of Alexandria (Maint: 29)	0.44	NA									NA		NA		
	To: I-395-S TO RT 236 WEST00- DUKE ST															
South 395 Ramp	From: I-395-S TO RT 42000- SEMINARY ROAD City of Alexandria (Maint: 29)	0.42	NA									NA		NA		
	To: I-395-S TO RT 42000- SEMINARY ROAD															
South 395 Ramp	From: Arlington County Line City of Alexandria (Maint: 00)	0.29	NA									NA		NA		
	To: I-395-S005B JB-100 TO RT 07-WEST&EAST-KI															
South 395 Ramp	From: I-395-S005A JB-100 TO RT 07-WEST&EAST-KI City of Alexandria (Maint: 00)	0.13	NA									NA		NA		
	To: I-395-S005A JB-100 TO RT 07-WEST&EAST-KI															
South 395 Ramp	From: I-395-S007X TO SHIRLINGTON CIRCLE00- SOU City of Alexandria (Maint: 00)	0.15	NA									NA		NA		
	To: ISR 402-P; 00-1250 JB--100 FROM RT															
South 395 Ramp	From: I-395-S007X TO SHIRLINGTON CIRCLE00- NOR City of Alexandria (Maint: 00)	0.16	NA									NA		NA		
	To: 00-6714; 00-6718 FROM RT 395 SOUTH															
South 395 Ramp	From: JB--100 WCL ALEXANDRIA City of Alexandria (Maint: 00)	0.01	NA									NA		NA		
	To: I-395-S006B TO SHIRLINGTON CIRCLE00- NOR															
South 395 Ramp	From: I-395-S006A TO SHIRLINGTON CIRCLE00- SOU City of Alexandria (Maint: 00)	0.09	NA									NA		NA		
	To: I-395-S006A TO SHIRLINGTON CIRCLE00- SOU															
South 395 Ramp	From: I-395-S END COLL ROAD FROM RT 120 SHIRL City of Alexandria (Maint: 00)	0.01	NA									NA		NA		
	To: I-395-S END COLL ROAD FROM RT 120 SHIRL															
400 90005 Washington St	From: George Washington Memorial Parkway SCL Alexandria City of Alexandria	0.91	29000	G	98%	1%	0%	0%	0%	0%	C	0.104	F	0.793	31000	G
	To: SR 236 Duke St															
400 90005 Washington St	From: Queen St City of Alexandria	0.32	31000	G	98%	1%	0%	0%	0%	0%	F	0.083	F	0.846	33000	G
	To: Madison St															
400 90005 Washington St	From: Madison St City of Alexandria	0.39	32000	G	98%	1%	0%	0%	0%	0%	F	NA		35000	G	
	To: Madison St															

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Alexandria

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: Madison St 400 90005 Washington St	City of Alexandria	0.17	33000	G	97%	1%	1%	0%	0%	0%	C	0.087	F	0.604	36000	G
To: 1st Street; George Washington Memorial Parkway																
From: SCL Alexandria 401 Van Dorn St	City of Alexandria	0.62	50000	G	97%	0%	1%	1%	0%	0%	F	0.078	F	0.546	53000	G
To: Edsall Rd																
From: Edsall Rd 401 Van Dorn St	City of Alexandria	0.43	35000	G	97%	0%	1%	1%	0%	0%	C	0.076	F	0.520	37000	G
To: SR 236 Duke St																
From: SR 236 Duke St 401 Van Dorn St	City of Alexandria	1.56	23000	G	99%	0%	1%	0%	0%	0%	C	0.095	F	0.684	25000	G
To: Seminary Ave																
From: SR 420 Seminary Rd 402 Quaker Lane	City of Alexandria	0.69	20000	G	98%	1%	1%	0%	0%	0%	F	0.086	F	0.534	21000	G
To: SR 7 King St																
From: SR 7 King St 402 Quaker Lane	City of Alexandria	0.96	21000	G	98%	1%	1%	0%	0%	0%	C	0.093	F	0.568	22000	G
To: I-395																
From: SR 402 TO RT 395 NORTH 402 Ramp	City of Alexandria (Maint: 00)	0.12	13000	F								0.108	F		13000	F
To: I-395-N FROM RT 402 NORTH00- QUAKER LANE																
From: ISR 402-P TO RT 395 SOUTH 402 Ramp	City of Alexandria (Maint: 00)	0.16	8000	F								0.085	F		8000	F
To: I-395-S FROM RT 402 NORTH & SOUTH00- SHI																
From: SR 402; 00-6714 TO SHIRLINGTON CIRCLE North 402 Ramp	City of Alexandria (Maint: 00)	0.04	NA									NA			NA	
To: 00-1250 FROM SHIRLINGTON CIRCLE NORTH																
From: ISR 402-P Gap CONNECTOR TO SHIR 402 Ramp	City of Alexandria (Maint: 00)	0.07	NA									NA			NA	
To: SR 402 Gap FROM SHIRLINGTON CIR																
From: I-395 Shirley Hwy, 100-6706 420 Seminary Rd	City of Alexandria	1.72	15000	G	98%	1%	1%	0%	0%	0%	C	0.089	F	0.62	17000	G
To: SR 402 Quaker Lane																
From: SR 402 Quaker Lane 420 Janneys Lane	City of Alexandria	1.03	6600	G	98%	1%	1%	0%	0%	0%	F	0.126	F	0.634	7100	G
To: SR 7 King St																
From: SR 420 420 Ramp	City of Alexandria (Maint: 29)	0.17	2200	G								0.131	F		2200	G
To: I-395 R																
From: SR 420; 100-6706 SR 420-W000X CO East 420 Ramp	City of Alexandria (Maint: 29)	0.12	NA									NA			NA	
To: I-395-S004X RT 395 S & RT 420 EAST COLL																
From: I-395-S004X RT 395 S & RT 420 EAST COLL East 420 Ramp	City of Alexandria (Maint: 29)	0.06	NA									NA			NA	
To: I-395-N004X RT 395 N & RT 420 EAST COLL																

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Alexandria

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 420 Ramp	City of Alexandria (Maint: 29)	0.10	NA											NA	NA	
	From: I-395-N004X RT 395 N & RT 420 EAST COLL															
	To: SR 420 SR 420-W000X COLLECTOR ROADS															
West 420 Ramp	City of Alexandria (Maint: 29)	0.08	NA											NA	NA	
	From: SR 420 SR 420-E000X COLLECTOR ROADS															
West 420 Ramp	City of Alexandria (Maint: 29)	0.03	NA											NA	NA	
	From: I-395-N004X RT 395 N & RT 420 WEST COLL															
West 420 Ramp	City of Alexandria (Maint: 29)	0.03	NA											NA	NA	
	From: SR 420- A TO & FROM REVERSIBLE LANE															
West 420 Ramp	City of Alexandria (Maint: 29)	0.11	NA											NA	NA	
	From: I-395-S004X RT 395 S & RT 420 WEST COLL															
	To: SR 420; 100-6706 SR 420-E000X CO															
90005 400 Washington St	City of Alexandria	0.91	29000	G	98%	1%	0%	0%	0%	0%	C	0.104	F	0.793	31000	G
	From: SCL Alexandria															
90005 400 Washington St	City of Alexandria	0.32	31000	G	98%	1%	0%	0%	0%	0%	F	0.083	F	0.846	33000	G
	From: SR 236 Duke St															
90005 400 Washington St	City of Alexandria	0.39	32000	G	98%	1%	0%	0%	0%	0%	F	NA			35000	G
	From: Queen St															
90005 400 Washington St	City of Alexandria	0.17	33000	G	97%	1%	1%	0%	0%	0%	C	0.087	F	0.604	36000	G
	From: Madison St															
90005 George Washington Memorial Parkway	City of Alexandria (Maint: US)	1.81	49000	O										NA	NA	
	From: 1st Street															
	To: NCL Alexandria															

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Alexandria

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Alexandria																
① Cameron St	1.00	4800	G	98%	1%	1%	0%	0%	0%	C	0.134	F		5200	G	2013
						From: Commonwealth Ave										
						To: Fairfax St										
② Daingerfield Rd	0.19	6000	G	95%	2%	3%	0%	0%	0%	C	0.096	F	0.643	6400	G	2013
						From: SR 236 Duke St										
						To: SR 7 King St										
③ Filmore Ave	0.36	3500	G	92%	5%	2%	0%	0%	0%	C	0.081	F	0.541	3800	G	2013
						From: Seminary Rd										
						To: N Beaugard St										
④ Franklin St	0.40	2800	G	97%	0%	2%	0%	0%	0%	C	0.087	F	0.869	3000	G	2013
						From: US 1 Patrick St										
						To: Fairfax St										
⑤ Gibbon St	0.40	1900	G	99%	0%	0%	0%	0%	0%	C	0.093	F	0.857	2100	G	2013
						From: US 1 Patrick St										
						To: Fairfax St										
⑥ Holland Lane	0.32	8000	G	98%	0%	1%	0%	0%	0%	C	0.126	F	0.818	8500	G	2013
						From: Eisenhower Ave										
						To: SR 236 Duke St										
⑦ King St	0.24	4500	G	90%	4%	6%	0%	0%	0%	F	0.081	F	0.541	4800	G	2013
						From: SR 400 Washington St										
						To: 100-21 Fairfax Street										
⑧ Lincolnia Rd	0.11	5400	G	93%	3%	3%	0%	1%	0%	C	0.081	F	0.574	5700	G	2013
						From: Breckenridge Pl										
						To: Beaugard St										
⑨ Mill Rd	0.88	7300	G	99%	0%	0%	0%	0%	0%	C	NA			7800	G	2013
						From: W Eisenhower Ave										
⑨ Mill Rd	0.20	9200	F	99%	0%	0%	0%	0%	0%	F	0.132	F	0.895	9700	F	2013
						From: E Eisenhower Ave										
						To: Ramps To and From I-95 3										
East ⑨ Ramp	0.56	3300	G	99%	0%	0%	0%	0%	0%	F	0.174	F		3500	G	2013
						From: Mill Rd										
						To: I-95 NB Express Lanes										
⑩ Montgomery St	0.48	3000	G	87%	2%	5%	5%	1%	0%	C	0.102	F		3200	G	2013
						From: Fairfax St										
						To: US 1 Par. Henry St										
⑪ Pendleton St	0.66	4100	G	92%	5%	2%	0%	0%	0%	C	0.098	F	0.567	4400	G	2013
						From: West St										
						To: Fairfax St										
⑫ Pershing Ave	0.16	4500	G	98%	0%	1%	1%	0%	0%	C	0.148	F	0.641	4800	G	2013
						From: SR 241 Telegraph Rd										
						To: Stoval St										
⑬ Prince St	0.50	6400	G	98%	1%	1%	0%	0%	0%	C	0.116	F	0.515	6800	G	2013
						From: Reinekers Lane										
⑬ Prince St	0.18	4500	G	97%	1%	1%	0%	1%	0%	C	0.099	F		4800	G	2013
						From: US 1 Patrick St										
⑬ Prince St	0.24	2800	G	91%	3%	1%	0%	5%	0%	C	0.113	F	0.845	3000	G	2013
						From: SR 400 Washington St										
						To: Fairfax St										
⑭ Slaters Lane	0.38	12000	G	99%	0%	1%	0%	0%	0%	C	0.094	F	0.56	13000	G	2013
						From: US 1 Jefferson Davis Hwy										
						To: George Washington Memorial Pkwy										
⑮ Stevenson Ave	0.16	12000	G	97%	1%	2%	0%	0%	0%	C	0.092	F	0.582	13000	G	2013
						From: Walker St										
						To: S Van Dorn St										

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Alexandria

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
City of Alexandria																	
(16) Stoval St	0.13	13000	G	90%	4%	6%	0%	0%	0%	F	NA			14000	G	2013	
						From: 100-6588; Eisenhower Ave											
						To: 100-9 Mill Rd											
(17) Walker St	0.10	20000	G	99%	0%	1%	0%	0%	0%	C	0.075	F	0.595	21000	G	2013	
						From: Stevenson Rd											
						To: SR 236 Duke St											
(18) West St	0.63	5600	G	98%	1%	1%	0%	0%	0%	C	0.13	F	0.717	5900	G	2013	
						From: Duke St											
						To: Wythe St											
(19) 1st St	0.06	5100	G	97%	0%	1%	1%	0%	0%	C	0.123	F	0.742	5400	G	2013	
						From: SR 400; Washington St											
						To: Saint Asaph St											
(19) 1st St	0.05	3400	G	96%	1%	1%	1%	0%	0%	C	0.108	F	0.748	3700	G	2013	
						From: Pitt St											
						To: West St											
(20) Wythe St	0.66	4700	G	98%	1%	1%	0%	0%	0%	C	0.108	F	0.627	5000	G	2013	
						From: Fairfax St											
						To: Franklin St											
(21) Fairfax St	1.12	4500	G	94%	2%	4%	0%	0%	0%	C	0.111	F	0.654	4800	G	2013	
						From: Montgomery St											
						To: I-95 Ramp											
(22) Church St	0.09	6300	G	90%	4%	6%	0%	0%	0%	F	0.117	F		6700	G	2013	
						From: SR 400 Washington St											
						To: SR 400 Washington St											
(6500) Duke St	0.23	3800	G	97%	1%	2%	0%	0%	0%	C	0.076	F	0.511	4000	G	2013	
						From: Fairfax St											
						To: WCL Alexandria											
(6572) Edsall Rd	0.49	15000	G	98%	1%	1%	1%	0%	0%	C	0.083	F	0.663	17000	G	2013	
						From: Van Dorn St											
(6572) Edsall Rd	0.24	10000	G	98%	1%	1%	1%	0%	0%	F	0.085	F	0.534	11000	G	2013	
						From: S Pickett St											
						To: Seminary Rd											
(6573) Van Dorn St	1.08	5500	G	97%	2%	0%	0%	0%	0%	C	0.129	F	0.88	5900	G	2013	
						From: SR 7 King St											
						To: Van Dorn St											
(6575) S Pickett St	0.36	11000	G	98%	1%	1%	0%	0%	0%	F	0.078	F	0.537	11000	G	2013	
						From: Edsall Rd											
(6575) S Pickett St	0.57	15000	G	98%	1%	1%	0%	0%	0%	C	0.075	F	0.527	16000	G	2013	
						From: SR 236 Duke St											
						To: I 95 Ramps											
(6579) Clermont Ave	0.13	13000	G	96%	1%	1%	1%	0%	0%	C	0.117	F	0.535	14000	G	2013	
						From: 100-6588 Eisenhower Ave											
						To: Duke St											
(6583) W Taylor Run Pkwy	0.52	4800	G	99%	0%	0%	0%	0%	0%	C	0.103	F	0.626	5200	G	2013	
						From: Janneys Lane											
						To: Montgomery St											
(6584) Pitt St	0.07	3900	G	97%	0%	1%	1%	0%	0%	C	0.126	F	0.663	4100	G	2013	
						From: 1st Street											
						To: King St											
(6585) Commonwealth Ave	0.94	6200	G	99%	0%	1%	0%	0%	0%	F	0.106	F	0.603	6600	G	2013	
						From: Monroe Ave											
(6585) Commonwealth Ave	0.79	5800	G	99%	0%	1%	0%	0%	0%	C	0.1	F	0.547	6200	G	2013	
						From: Mt Vernon Ave											
(6585) Commonwealth Ave	0.41	4000	G	99%	0%	1%	0%	0%	0%	F	0.096	F	0.617	4300	G	2013	
						From: Reed St											

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Alexandria

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Alexandria																
(6586) Diagonal Rd	0.30	5800	G	90%	4%	6%	0%	0%	0%	C	0.101	F	0.625	6100	G	2013
(6588) Eisenhower Ave	3.18	12000	G	98%	0%	1%	1%	0%	0%	C	0.104	F	0.694	13000	G	2013
(6588) Eisenhower Ave	0.94	16000	G	99%	0%	0%	0%	0%	0%	C	0.109	F	0.894	18000	G	2013
(6591) Mt Vernon Ave	1.21	8000	G	96%	2%	1%	0%	0%	0%	C	0.089	F	0.603	8500	G	2013
(6591) Mt Vernon Ave	1.00	10000	G	96%	2%	1%	0%	0%	0%	F	0.088	F	0.594	11000	G	2013
(6592) Braddock Rd	1.72	10000	G	97%	1%	1%	1%	0%	0%	C	0.089	F	0.530	11000	G	2013
(6592) Braddock Rd	1.39	9700	G	98%	0%	1%	0%	0%	0%	C	0.103	F	0.557	10000	G	2013
(6592) Braddock Rd	0.77	7400	G	98%	0%	1%	0%	0%	0%	F	0.108	F	0.545	7900	G	2013
(6593) Callahan Dr	0.22	14000	G	97%	1%	1%	0%	0%	0%	C	0.093	F	0.608	15000	G	2013
(6593) Russell Rd	0.89	7700	G	98%	0%	1%	0%	0%	0%	F	0.1	F	0.556	8200	G	2013
(6593) Russell Rd	0.31	6300	G	98%	0%	1%	0%	0%	0%	C	0.119	F	0.508	6800	G	2013
(6593) Russell Rd	1.06	6800	G	98%	0%	1%	0%	0%	0%	F	0.113	F	0.553	7200	G	2013
(6593) Russell Rd	0.16	5200	G	98%	0%	1%	0%	0%	0%	F	0.123	F	0.701	5500	G	2013
(6594) Gunston Rd	0.26	2500	G	97%	1%	1%	1%	0%	0%	C	0.130	F	0.898	2600	G	2013
(6595) Quaker Lane	0.62	23000	G	98%	1%	1%	0%	0%	0%	C	0.082	F	0.606	25000	G	2013
(6595) Valley Dr	1.33	1100	G	98%	0%	1%	1%	0%	0%	C	0.100	F	0.591	1200	G	2013
(6596) Monroe Ave	0.89	6400	G	99%	0%	0%	0%	0%	0%	C	0.106	F	0.621	6900	G	2013
(6597) Monticello Blvd	0.21	2600	G	96%	0%	1%	3%	1%	0%	C	0.097	F	0.533	2800	G	2013
(6597) Old Dominion Blvd	0.71	970	G	96%	2%	2%	0%	0%	0%	C	0.135	F	0.613	1000	G	2013
(6597) Tennessee Ave	0.17	730	G	99%	0%	0%	0%	0%	0%	C	0.101	F	0.534	780	G	2013
(6597) Tennessee Ave	0.25	2000	G	96%	2%	2%	0%	0%	0%	F	0.101	F	0.623	2100	G	2013

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Alexandria

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Alexandria																
(6597) Martha Custis Dr	0.52	4400	G	93%	4%	2%	2%	0%	0%	C	0.1	F	0.507	4700	G	2013
(6599) Cameron Mills Rd	0.39	1900	G	95%	1%	3%	1%	0%	0%	C	0.106	F	0.516	2000	G	2013
(6600) Crest St	0.27	1600	G	97%	1%	1%	0%	0%	0%	C	0.102	F	0.549	1700	G	2013
(6600) Summit Ave	0.27	2000	G	97%	1%	1%	0%	0%	0%	F	0.118	F	0.519	2200	G	2013
(6600) Monticello Blvd	0.23	2600	G	97%	1%	1%	0%	0%	0%	F	0.133	F	0.572	2800	G	2013
(6601) Scroggins Rd	0.36	1600	G	98%	1%	1%	0%	0%	0%	C	0.124	F	0.704	1700	G	2013
(6602) W Glebe Rd	0.94	15000	G	98%	0%	1%	1%	0%	0%	F	0.082	F	0.511	16000	G	2013
(6602) E Glebe Rd	0.62	8800	G	98%	0%	1%	1%	0%	0%	C	0.080	F	0.555	9400	G	2013
(6604) Reed Ave	0.54	2800	G	96%	1%	2%	0%	0%	0%	C	0.091	F	0.504	3000	G	2013
(6622) Beauregard St	2.12	18000	G	98%	1%	1%	0%	0%	0%	C	0.087	F	0.586	19000	G	2013
(6622) Beauregard St	0.28	18000	G	99%	1%	0%	0%	0%	0%	C	0.085	F	0.598	19000	G	2013
(6622) Walter Reed Dr	0.07	14000	G	99%	0%	0%	0%	0%	0%	C	0.099	F	0.634	14000	G	2013
(6698) Taney Dr	1.04	2600	G	96%	3%	0%	1%	0%	0%	C	0.089	F	0.525	2800	G	2013
(6701) Pegram St	0.78	1900	G	96%	3%	1%	0%	0%	0%	C	0.155	F	0.682	2000	G	2013
(6701) Pickett St	0.15	2500	G	96%	3%	0%	0%	0%	0%	C	0.125	F	0.529	2600	G	2013
(6702) Sanger Ave	0.37	13000	G	98%	1%	1%	0%	0%	0%	C	0.086	F	0.625	14000	G	2013
(6703) Jordan St	0.94	6400	G	99%	0%	0%	0%	0%	0%	C	0.087	F	0.672	6800	G	2013
(6706) Seminary Rd	0.60	38000	G	98%	1%	0%	0%	0%	0%	C	0.077	F	0.542	40000	G	2013
(6706) Seminary Rd	0.22	56000	G	98%	1%	0%	0%	0%	0%	F	0.078	F	0.594	60000	G	2013
(6707) Howard St	0.56	4700	G	98%	1%	0%	0%	0%	0%	C	0.084	F	0.589	5000	G	2013
(6707) Howard St	0.36	6800	G	98%	1%	0%	0%	0%	0%	F	0.136	F	0.686	7300	G	2013

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Alexandria

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Alexandria																
6711 Hampton Dr N	0.43	4900	G	97%	1%	From: Braddock Rd				C	0.102	F	0.653	5200	G	2013
						To: SR 7 King St										
Braddock Rd		13000	G			From: Kenwood Ave				NA			14000	G	2013	
						To: Crest St										
Canterbury Lane		250	G			From: Chancel Pl				0.177	F	0.68	270	G	2013	
						To: Trinity Dr										
Clifford Ave		380	G			From: Turner Rd				0.111	F	0.511	400	G	2013	
						To: Montross Ave										
Curtis Ave		410	G			From: Russell Rd				0.106	F	0.663	440	G	2013	
						To: Rosecrest Ave										
Glendale Ave		220	G			From: Newton St				0.136	F	0.515	240	G	2013	
						To: Wayne St										
Green St		3100	G			From: Washington St				0.150	F	0.885	3300	G	2013	
						To: Asaph St										
Hickory St		250	G			From: Kennedy St				0.121	F	0.574	270	G	2013	
						To: Dead End										
Kentucky Ave		340	G			From: Old Dominion Blvd				0.123	F	0.584	360	G	2013	
						To: Russell Rd										
Key Dr		130	G			From: Francis Hammond Pkwy				0.117	F	0.684	140	G	2013	
						To: Roan Lane										
Mansion Dr		340	G			From: Virginia Ave				0.155	F	0.524	370	G	2013	
						To: Russell Rd										
Mount Vernon Ave		6600	G			From: Monroe Ave				NA			7100	G	2013	
						To: Nelson Ave										
N Owen St		140	G			From: Taney Ave				0.136	F	0.548	150	G	2013	
						To: Polk Ave										
Old Dominion Blvd		1300	G			From: Kentucky Ave				0.152	F	0.691	1400	G	2013	
						To: Halcyan Dr										
Rayburn Ave		4900	G			From: Reading Ave				0.106	F	0.694	5300	G	2013	
						To: N Beauregard St										
Ridge Rd		290	G			From: Summit Ave				0.123	F	0.659	310	G	2013	
						To: Fordham Rd										
Rose Crest Ave		420	G			From: Russel Rd				0.138	F	0.590	440	G	2013	
						To: Custis Ave										
S French St		560	G			From: Usher Ave				0.121	F	0.695	600	G	2013	
						To: SR 236 Duke St										
S Pickett St		5100	G			From: SR 401 Van Dorn St				0.088	F	0.565	5400	G	2013	
						To: Dead End										

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Alexandria

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Alexandria																
Stewart Ave		460	G			From: Mt Vernon Ave				0.091	F	0.57	490	G	2013	
						To: Dewitt Ave										
Ulane Ave		360	G			From: N Gladden St				0.116	F	0.653	390	G	2013	
						To: N Grayson St										
Yoakum Pkwy		5800	G			From: Edsall Rd				NA			6300	G	2013	
						To: Stevenson Rd										