

2019
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates

where available

Special Locality Report

132

City of Staunton

Information in this report is included in Report

07

(Augusta County)

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source








Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

-  Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

-  Bus - Business Route
-  Bypass - Bypass Route
-  Truck - Truck Route
-  ALT - Alternate Route
-  Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2019
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Staunton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW		
							2Axle	3+Axle	1Trail	2Trail								
11	Greenville Ave	City of Staunton	0.68	13000	F	99%	0%	1%	0%	0%	0%	F	0.093	F	0.534	14000	F	
11	Greenville Ave	City of Staunton	0.50	12000	F	99%	0%	1%	0%	0%	0%	C	0.093	F	0.567	12000	F	
11	Greenville Ave	City of Staunton	0.32	9500	F	99%	0%	1%	0%	0%	0%	F	0.091	F	0.553	10000	F	
11	250 Greenville Ave	City of Staunton	0.07	15000	F	99%	0%	1%	0%	0%	0%	F	0.086	F	0.502	16000	F	
11	254 Commerce Rd	City of Staunton	0.68	2600	F	97%	0%	1%	1%	1%	0%	C	0.096	F	0.6	2800	F	
11	Commerce Rd	City of Staunton	0.15	2700	F	97%	0%	1%	1%	1%	0%	F	0.086	F	0.502	2800	F	
11	Commerce Rd	City of Staunton	1.25	6000	F	98%	0%	1%	0%	1%	0%	F	0.1	F	0.508	6400	F	
11	Commerce Rd	City of Staunton	0.67	5500	F	98%	0%	1%	0%	1%	0%	C	0.102	F	0.558	5800	F	
11	Commerce Rd	City of Staunton	0.49	12000	F	98%	0%	1%	0%	1%	0%	C	0.099	F	0.521	13000	F	
11	Commerce Rd	City of Staunton	0.88	16000	F	98%	0%	1%	0%	1%	0%	F	0.094	F	0.620	17000	F	
Bus																		
11	250 Johnson St	City of Staunton	0.18	11000	F	99%	0%	0%	0%	0%	0%	F	0.087	F	0.531	11000	F	
Bus																		
11	250 New St	City of Staunton	0.17	930	F	98%	1%	1%	0%	0%	0%	F	0.108	F		990	F	
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:				5900	F	99%	0%	1%	0%	F	0.091	F	0.600	6900	F
Bus																		
11	250 New St	City of Staunton	0.36	870	F	98%	1%	1%	0%	0%	0%	C	0.111	F		930	F	
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:				5900	F	99%	0%	1%	0%	C	0.094	F	0.509	6300	F
Bus																		
11	250 Augusta St	City of Staunton	0.02	11000	N	98%	1%	1%	0%	0%	0%	N	0.093	F	0.614	12000	N	
Bus																		
11	Augusta St	City of Staunton	0.41	8100	F	98%	0%	1%	0%	0%	0%	F	0.095	F	0.566	8600	F	
Bus																		
11	Augusta St	City of Staunton	0.28	8900	F	98%	0%	1%	0%	0%	0%	F	0.094	F	0.519	9400	F	

Virginia Department of Transportation
 Traffic Engineering Division
 2019
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Staunton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW								
							2Axle	3+Axle	1Trail	2Trail														
Bus 11 Augusta St	From: Lambert St City of Staunton	1.14	4900	F	98%	0%	1%	0%	0%	0%	C	0.099	F	0.522	5200	F								
Bus 11 Augusta St	To: Coalter St From: City of Staunton	0.71	7000	F	98%	0%	1%	0%	0%	0%	F	0.095	F	0.514	7400	F								
Bus 11 250 Johnson St	From: Augusta St City of Staunton	0.06	10000	F	99%	0%	0%	0%	0%	0%	F	0.086	F	0.608	11000	F								
Combined Traffic Estimates for Parallel Roadways on this Route: NA												0.091	F	0.600	NA									
Bus 11 250 Augusta St	To: US 250 Par, New St From: SR 254 Beverly St City of Staunton	0.07	5600	F	99%	0%	0%	0%	0%	0%	F	0.091	F	0.692	5900	F								
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 6500												F	99%	0%	1%	0%	0%	0%	F	0.091	F	0.600	6900	F
Bus 11 250 Augusta St	To: Johnson St From: US 250 Par, Sunnyside St City of Staunton	0.43	5100	F	99%	0%	0%	0%	0%	0%	C	0.094	F	0.574	5400	F								
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 5900												F	99%	0%	1%	0%	0%	0%	C	0.094	F	0.509	6300	F
250 Churchville Ave	From: WCL Staunton City of Staunton	0.04	7500	N	96%	1%	1%	1%	1%	0%	N	0.095	F	0.686	7300	N								
250 Churchville Ave	To: SR 262 Woodrow Wilson Pkwy From: City of Staunton	0.79	4400	F	98%	1%	1%	0%	0%	0%	F	0.090	F	0.53	4700	F								
250 Churchville Ave	To: Englewood Dr Near Hevener St From: City of Staunton	0.40	7100	F	98%	1%	1%	0%	0%	0%	C	0.090	F	0.53	7500	F								
250 Churchville Ave	To: Grubert Ave From: City of Staunton	0.99	8300	F	98%	1%	1%	0%	0%	0%	F	0.088	F	0.566	8800	F								
250 Churchville Ave	To: Thornrose Ave From: City of Staunton	0.32	11000	F	98%	1%	1%	0%	0%	0%	C	0.093	F	0.614	12000	F								
Bus 250 11 Augusta St	To: Augusta St From: Churchville Ave City of Staunton	0.02	11000	N	98%	1%	1%	0%	0%	0%	N	0.093	F	0.614	12000	N								
Bus 250 11 Augusta St	To: US 250 Par New St; Sunnyside St From: US 250 Par; Sunnyside St City of Staunton	0.43	5100	F	99%	0%	0%	0%	0%	0%	C	0.094	F	0.574	5400	F								
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 5900												F	99%	0%	1%	0%	0%	0%	C	0.094	F	0.509	6300	F
Bus 250 11 Augusta St	To: SR 254 Beverly St From: City of Staunton	0.07	5600	F	99%	0%	0%	0%	0%	0%	F	0.091	F	0.692	5900	F								
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 6500												F	99%	0%	1%	0%	0%	0%	F	0.091	F	0.600	6900	F
Bus 250 11 Johnson St	To: Johnson St From: Augusta St City of Staunton	0.06	10000	F	99%	0%	0%	0%	0%	0%	F	0.086	F	0.608	11000	F								
Combined Traffic Estimates for Parallel Roadways on this Route: NA												0.091	F	0.600	NA									
	To: US 250 Par, New St																							

Virginia Department of Transportation
 Traffic Engineering Division
 2019
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Staunton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: IUS 250 P New St To: Johnson St	City of Staunton	0.18	11000	F	99%	0%	0%	0%	0%	0%	F	0.087	F	0.531	11000	F
From: US 11, SR 254 To: Greenville Ave	City of Staunton	0.07	15000	F	99%	0%	1%	0%	0%	0%	F	0.086	F	0.502	16000	F
From: US 11 GREENVILLE AVE To: Richmond Rd	City of Staunton	0.75	9800	F	99%	0%	1%	0%	0%	0%	C	0.083	F	0.52	10000	F
From: Statler Blvd To: Richmond Rd	City of Staunton	0.96	23000	F	98%	0%	0%	0%	1%	0%	C	0.089	F	0.51	24000	F
From: Frontier Dr To: Richmond Rd	City of Staunton	0.44	29000	F								0.092	F	0.518	NA	
From: ECL Staunton To: New St	City of Staunton	0.36	870	F	98%	1%	1%	0%	0%	0%	C	0.111	F		930	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			5900	F	99%	0%	1%	0%	0%	0%	C	0.094	F	0.509	6300	F
From: Frederick St To: New St	City of Staunton	0.17	930	F	98%	1%	1%	0%	0%	0%	F	0.108	F		990	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			6500	F	99%	0%	1%	0%	0%	0%	F	0.091	F	0.600	6900	F
From: SCL Staunton To: Middlebrook Ave	City of Staunton	1.08	2700	F	99%	0%	0%	0%	0%	0%	C	0.107	F	0.544	2800	F
From: Bridge St To: Middlebrook Ave	City of Staunton	0.60	2500	F	99%	0%	0%	0%	0%	0%	F	0.105	F	0.519	2700	F
From: Lewis Street To: Beverly St	City of Staunton	0.11	2400	F	98%	0%	1%	0%	0%	0%	F	0.078	F		2500	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			5000	G	99%	0%	0%	0%	0%	0%	F	0.086	F	0.501	5400	G
From: US 250 Augusta St; Johnson St To: Beverly St	City of Staunton	0.97	7700	F	98%	0%	1%	0%	0%	0%	C	0.100	F	0.504	8200	F
From: Grubert St To: Beverly St	City of Staunton	0.69	7100	F	98%	0%	1%	0%	0%	0%	F	0.091	F	0.548	7500	F
From: Thornrose Ave To: Beverly St	City of Staunton	0.25	4900	F	98%	0%	1%	0%	0%	0%	F	0.091	F	0.511	5200	F
From: Frederick St To: Beverly St	City of Staunton	0.25	4300	F	98%	0%	1%	0%	0%	0%	F	0.084	F	0.59	4500	F
From: SR 254 P Jefferson St To: Beverly St	City of Staunton	0.23	2700	F	98%	0%	1%	0%	0%	0%	F	0.083	F		2900	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			4700	F	99%	0%	0%	0%	0%	0%	F	0.088	F	0.506	5000	F
From: Lewis St																

Virginia Department of Transportation
Traffic Engineering Division
2019
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Staunton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
254 252 Beverly St	From: Lewis St															
	City of Staunton	0.11	2400	F	98%	0%	1%	0%	0%	0%	F	0.078	F	2500	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			5000	G	99%	0%	0%	0%	0%	0%	F	0.086	F	5400	G	
254 Beverly St	From: US 250 Augusta St															
	City of Staunton	0.06	2400	N	98%	0%	1%	0%	0%	0%	N	0.078	F	2500	N	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			4500	N	99%	0%	0%	0%	0%	0%	N	0.086	F	4800	N	
254 Beverly St	From: US 250 P New St															
	City of Staunton	0.16	1800	F	98%	0%	1%	0%	0%	0%	F	0.086	F	1900	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			3900	F	99%	0%	0%	0%	0%	0%	F	0.091	F	4200	F	
254 Coalter St	From: Coalter St															
	City of Staunton	0.16	4500	F	98%	0%	1%	0%	0%	0%	F	0.092	F	4800	F	
254 11 Commerce Rd	From: US 11, US 250 Commerce St															
	City of Staunton	0.68	2600	F	97%	0%	1%	1%	1%	0%	C	0.096	F	2800	F	
254 New Hope Rd	From: US 11 Commerce Rd															
	City of Staunton	2.45	1400	F	98%	0%	1%	0%	0%	0%	C	0.114	F	1500	F	
254 Jefferson St	From: ECL Staunton															
	City of Staunton	0.07	1100	F	97%	1%	2%	0%	0%	0%	C	0.103	F	1200	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA		NA		
254 Frederick St	From: W Frederick St															
	City of Staunton	0.28	2000	F	99%	0%	0%	0%	0%	0%	C	0.103	F	2200	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			4700	F	99%	0%	0%	0%	0%	0%	F	0.088	F	5000	F	
254 252 Frederick St	From: Central Ave															
	City of Staunton	0.11	2700	G	99%	0%	0%	0%	0%	0%	F	0.093	F	2900	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			5000	G	99%	0%	0%	0%	0%	0%	F	0.086	F	5400	G	
254 Frederick St	From: US 250, Bus US 11 Par, New St															
	City of Staunton	0.17	2200	F	99%	0%	0%	0%	0%	0%	F	0.101	F	2300	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			3900	F	99%	0%	0%	0%	0%	0%	F	0.091	F	4200	F	
254 Coalter St	From: Coalter St															
	City of Staunton	0.07	4300	F	99%	0%	0%	0%	0%	0%	F	0.094	F	4600	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA		NA		
261 Statler Blvd	From: SR 254, E Beverly St															
	City of Staunton	0.84	9100	F	99%	0%	0%	0%	0%	0%	C	0.092	F	9700	F	
261 Statler Blvd	From: Richmond Rd															
	City of Staunton	0.78	13000	F	99%	0%	0%	0%	0%	0%	C	0.092	F	14000	F	

Virginia Department of Transportation
 Traffic Engineering Division
 2019
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Staunton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: New Hope Rd 261 Statler Blvd	City of Staunton	0.14	14000	F	99%	0%	0%	0%	0%	0%	F	0.093	F	0.515	15000	F
To: Commerce Rd 261 Statler Blvd	City of Staunton	0.25	11000	F	99%	0%	0%	0%	0%	0%	F	0.088	F	0.552	11000	F
From: Beverly St 261 Statler Blvd	City of Staunton	0.20	10000	F	99%	0%	0%	0%	0%	0%	F	0.089	F	0.556	11000	F
To: Coalter St																
From: WCL Staunton 262	City of Staunton (Maint: 07)	0.58	8300	F	95%	1%	1%	1%	2%	0%	F	0.106	F	0.544	8800	F
To: US 250 Churchville Ave 262 Woodrow Wilson Pkwy	City of Staunton (Maint: 07)	2.22	8600	F	97%	1%	1%	1%	1%	0%	C	0.1	F	0.719	9100	F
From: 07-613 Spring Hill Rd 262 Woodrow Wilson Pkwy	City of Staunton (Maint: 07)	1.74	10000	F	97%	1%	1%	1%	1%	0%	C	0.096	F	0.741	11000	F
To: US 11 Commerce Rd 262 Woodrow Wilson Pkwy	City of Staunton (Maint: 07)	1.34	14000	F	97%	1%	1%	1%	1%	0%	F	0.103	F	0.517	14000	F
To: ECL Staunton																
From: US 11 Greenville Ave 317 Staunton Correctional Facility	City of Staunton (Maint: 07)	0.26	NA									NA			NA	
To: West Village Dr																

Virginia Department of Transportation
Traffic Engineering Division
2019
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Staunton

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Staunton																
(F1058) Seth Dr	0.07	90	R			From: Dead End					NA			NA		11/06/2013
(F1058) Seth Dr	0.19	90	R			From: Connector to SR 252					NA			NA		11/06/2013
(F1058) Seth Dr						To: Dead End										
(1) Englewood Dr	0.34	2100	F	97%	1%	From: Churchville Ave				C	0.093	F	0.516	2300	F	2019
(1) Englewood Dr						To: Schutterlee Mill Rd										
(4900) Hampton St	0.28	6000	F	98%	0%	From: Middlebrook Ave				F	0.09	F	0.537	6400	F	2019
(4900) Hampton St						To: Greenville Ave										
(4901) Barterbrook Rd	0.17	3200	F	98%	0%	From: SCL Staunton				C	0.103	F	0.507	3400	F	2019
(4901) Barterbrook Rd						To: Greenville Ave										
(4902) Buttermilk Spring Rd	1.00	340	F	98%	2%	From: WCL Staunton				C	0.103	F	0.5	360	F	2019
(4902) Straith St	0.30	690	F	98%	1%	From: Pierce St				C	0.103	F	0.507	730	F	2019
(4902) Straith St						To: SR 254 Beverly St										
(4903) Coalter St	0.54	3400	F	98%	1%	From: Frederick St				F	0.094	F	0.512	3600	F	2019
(4903) Coalter St						To: Edgewood Rd										
(4903) Coalter St	1.31	3400	F	98%	1%	From: Edgewood Rd				C	0.098	F	0.555	3600	F	2019
(4903) Coalter St						To: Augusta St										
(4905) Lewis St	0.48	3400	F	98%	0%	From: Beverly St				C	0.094	F	0.623	3600	F	2019
(4905) Lewis St						To: Churchville Ave										
(4909) Bridge St	0.19	3700	F	98%	1%	From: Middlebrook Ave				C	0.112	F	0.535	4000	F	2019
(4909) Green St; Jefferson St	0.27	1600	F	98%	1%	From: Stuart St				F	0.101	F	0.574	1700	F	2019
(4909) Green St; Jefferson St						To: SR 254 W Beverly St										
(4913) N Central Ave	0.38	2600	F	98%	0%	From: Beverly St				C	0.093	F	0.511	2800	F	2019
(4913) N Central Ave						To: Churchville Ave										
(4915) Thornrose Ave	0.31	1400	F	99%	0%	From: Beverly St				C	0.094	F	0.516	1500	F	2019
(4915) Thornrose Ave						To: Circle Dr										
(4915) Thornrose Ave	0.42	5200	F	99%	0%	From: Circle Dr				F	0.102	F	0.508	5600	F	2019
(4915) Thornrose Ave						To: Churchville Ave										
(4919) Grubert Ave	0.99	4400	F	98%	1%	From: Beverly St				C	0.091	F	0.519	4700	F	2019
(4919) Grubert Ave						To: Churchville Ave										
(4921) Morris Mill Rd	0.88	2300	F	98%	0%	From: WCL Staunton				C	0.102	F	0.517	2500	F	2019
(4921) Morris Mill Rd						To: Beverly St										
(4925) Lambert St	0.44	5100	F	99%	1%	From: Augusta St				C	0.091	F	0.642	5400	F	2019
(4925) Lambert St						To: Donaghe St										
(4927) Spring Hill Rd	0.76	2400	F	99%	0%	From: Churchville Ave				C	0.093	F	0.579	2600	F	2019
(4927) Springhill Rd	1.45	2800	F	98%	0%	From: Donaghe St				C	0.097	F	0.583	2900	F	2019
(4927) Springhill Rd						To: NCL Staunton										

Virginia Department of Transportation
Traffic Engineering Division
2019
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Staunton

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Staunton																
(4929) Mt View Dr	0.39	660	F	98%	1%	1%	0%	0%	0%	C	0.103	F	0.589	710	F	2019
(4931) Shutterlee Mill Rd	0.95	1300	G	98%	1%	1%	0%	0%	0%	C	0.102	F	0.593	1500	G	2019
(4932) Pierce St	0.20	790	F	99%	0%	1%	0%	0%	0%	C	0.108	F	0.594	840	F	2019
(4933) Peck St	0.17	3100	F	99%	0%	1%	0%	0%	0%	F	0.119	F	0.503	3300	F	2019
(4933) Chrysler St/Hays Ave	0.36	2700	F	99%	0%	1%	0%	0%	0%	F	0.121	F	0.513	2900	F	2019
(4935) Stuart St	0.57	2800	F	99%	0%	1%	0%	0%	0%	F	0.118	F	0.51	2900	F	2019
(4937) Johnson St	0.23	2300	F	98%	0%	1%	1%	0%	0%	C	0.105	F	0.702	2500	F	2019
(4937) Johnson St	0.11	5500	F	98%	0%	1%	1%	0%	0%	F	0.085	F	0.502	5900	F	2019
(4938) Prospect St	0.53	860	F	100%	0%	0%	0%	0%	0%	C	0.097	F	0.528	910	F	2019
(4940) Donaghe St	0.37	3000	F	99%	0%	1%	0%	0%	0%	F	0.1	F	0.584	3200	F	2019
(4940) Donaghe St	0.47	2200	F	99%	0%	1%	0%	0%	0%	C	0.093	F	0.613	2400	F	2019
(4942) Old Greenville Rd	0.47	3500	F	97%	0%	1%	1%	1%	0%	F	0.105	F	0.594	3700	F	2019
(4944) Frontier Dr	1.00	9000	F	98%	0%	1%	0%	0%	0%	C	0.088	F	0.561	9600	F	2019
Archer St		820	F								0.117	F	0.636	870	F	2019
Berry St		80	F								0.209	F	0.641	80	F	2019
Blue Ridge Dr		240	F								0.125	F	0.559	260	F	2019
College Circle		850	F								0.105	F	0.524	900	F	2019
Frasier Ln		90	F								0.159	F	0.615	100	F	2019
Peyton St		230	F								0.124	F	0.606	240	F	2019

Virginia Department of Transportation
 Traffic Engineering Division
 2019
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Staunton

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
City of Staunton																	
Rockway St		70	F			From Lambert St				0.234	F	0.571	70	F	2019		
						To Donaghe St											
Spruce St		740	F			From Lyle Avenue				0.108	F	0.541	740	F	2019		
						To Spring Hill Rd											